Dart Aerospace Ltd. Thursday, 6/15/2006 1:51:33 PM Date: User: Kim Johnston **Process Sheet** : SUPPORT : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 27593B **Estimate Number** : 10462 :414: Part Number : D32782 P.O. Number S.O. No. : 1) 1 : D3278 REV. B : 6/15/2006 **Drawing Number** This Issue : N/A : NC Project Number Prsht Rev. : MA : SMALL /MED FAB **Drawing Revision** Type First Issue : 24568B Material **Previous Run** 30 Um: : 7/5/2006 **Due Date** Qty: Written By Checked & Approved By New issue KJ/JLM Comment : Est:A **Additional Product** Job Number: Description: Seq. #: **Machine Or Operation:** 6061-T6 Bar 1.0" x 2.0" M6061T6B1000X02000 1.0 13.7151 f(s) Comment: Qty.: 0.4572 f(s)/Unit Total: M101000 Material: 6061-T6/T651 (QQ-A-200/8) 1.00" thick Batch: 2 (M6061T6B1.000x02.000) SHEAR 2.0 SHEAR Cut blank: 2.00" x 1.00" x 2.550" long HAAS CNC VERTICAL MACHINING #1 3.0 HAAS1 Comment: HAAS CNC VERTICAL MACHINING #1 1- Machine as per Folio FA405 and Dwg D3278 2- Deburr and Tumble Identify as D3278-2 QC2 INSPECT PARTS AS THEY COME OFF MACHIN 4.0

> Comment: INSPEC PARTS AS THEY COME OFF MACHINE

Each

SECOND CHECK QC8 5.0





06/06/22

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES	RK ORDER CHANGES							
DATE STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector			

NCR:		· We	WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification	A	Approval			
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Verification Section 6	Approval Design Mgr	Approval QC Inspector			
06/06/22	3	The piece is to thir. 2 parts scrope, parts didn't sit well in the vise	Fran	Scrap i destry i replace	J-F.	Ran	on one	down			
·											
		÷									

Part No:	PAR #:	Fault Category: N	ICR:	Yes No	DQA:	Date: 06/07/04
NOTE: Date & initial all entries				QA: N/C C	losed:	Date:

Thursday, 6/15/2006 1:51:33 PM Date: Kim Johnston User: **Process Sheet Drawing Name: SUPPORT** Customer: CU-DAR001 Dart Helicopters Services Job Number: 27593B Part Number: D32782 Job Number: Seq. #: **Machine Or Operation:** Description: HAND FINISHING1 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING POWDER COATING Comment: POWDER COATING Powder Coat White Gloss (Ref. 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 30 Comment: INSPECT POWDER COAT PACKAGING RESOURCE #1 PACKAGING 9.15.1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 10.0 DOCUMENT CONTROL Comment: DOCUMENT CONTROL 6/07/0 Inspection Level 21 Job Completion

Dart Aerospace Ltd

W/O:			WO	RK ORDER CHANGES					
DATE	STEP	PR	OCEDURE CHAN	IGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector
				•					
		·							
		,							
			WORK ORDE	R NON-CONFORMAN	CE (NCI	5/			
NCR:	!		TORK ONDE		JL (1101	` ,		1	T
DATE	STEP	Description of NC Section A	Corrective Action Section B Initial Action Description		Sign		cation ion C	Approval Design Mgr	Approval QC Inspecto
		Section A	Design Mgr	Design Mgr	Date		ion C	Design Mgr	QC Irispector
ı									
1									
Part No	o:	PAR #:	Fault Category	r: NCR: `	es No	DQA:		Date:	
NOTE: F	nata & initia	al all entries			. A. N/C C	locod:		Date:	•

DART AEROSPACE LTD	Work Order:	27393B
Description: Support	Part Number:	D3278-2
Inspection Dwg: D3278 Rev: B		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.098	+0.005/-0.000	80.098				· · · · · · · · · · · · · · · · · · ·
0.359	+/-0.005	0.359				
0.615	+/-0.010	0.614				•
0.250	+/-0.010	0.249				
1.480	+/-0.005	1.480				
R0.125	+/-0.010	RO. 125				
0.119	+0.005/-0.004	0.116				
2.439	+/-0.010	2.440	<i>✓</i>			
1.980	+/-0.010	1.980				
R0.130	+/-0.010	RO.136				
Ø0.257	+0.005/-0.000	KO.288				
R0.375	+/-0.010	RO. 375				
0.875	+/-0.010	0.874				
0.500	+/-0.010	0.500				
R0.400	+/-0.010	RO.400				
1.720	+/-0.010	1.721				,
R0.125	+/-0.010	R0.125				
0.125	+/-0.010	0.123				
				*		

Measured by:	and	Audited by:	Er	Prototype Approval:	N/A
Date:	06/06/21	Date:	e6/06/21	Date:	N/A


Rev D	Date Change		Revised by	Approved
A 04.0	04.19 New Issue	P/O D3278-041	KJ/JLM 1.A	
B 05.0	06.08 0.359 was	0.365; 0.119 was 0.125	KJ/JLM 🛠	



DESIGN CP DRAWN BY			DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECK	KED #	APPROVED	DRAWING NO.	REV. B
	W	THE SHAPE	D3278 SHEET	1 OF 3
DATE			TITLE	SCALE
05.0	3.31		SUPPORT ASSEMBLY	NTS
Α		04.03.03	NEW ISSUE	
В		05.03.31	CHANGE DIM/TOL TO ENSURE FIT	



D3278-041 SUPPORT ASSEMBLY




Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



	DESIGN CP	DRAWN BY	D/	ART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
1	CHECKED	APPROVED A	DRAWING NO.		REV. E
	#	#	D3278	SHEET	2 OF 3
	DATE	·	TITLE		SCALE
	05.03.31		SUPPORT	ASSEMBLY	1:1



D3278-1 SUPPORT (SHOWN) D3278-2 SUPPORT (OPPOSITE)

1) MACHINE PER DWG FILE "D3278-1.SLDPRT"

SHOP COPY


- 2) MATERIAL: 6061-T6/T651 (QQ-A-200/8 OR QQ-A-250/8 OR QQ-A-250/8 (REF DART SPEC. M6061T6B OR M6061T6S)
- UNCONTROLLED COPY SUBJECT TO AMENDMENT 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3 WITHOUT NOTICE
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN CP	DRAWN BY CP	DART AEROSP, HAWKESBURY, ONTARIO	
CHECKED	APPROVED	DRAWING NO. D3278	REV. B SHEET 3 OF 3
DATE		TITLE	SCALE
05.03.31		SUPPORT ASSEMBLY	1:1



SHOP COPY

D3278-3 SPACER

1) MATERIAL: BLACK DELRIN / UHMW PER DART SPEC M-DELRIN-B OR M 0.125 THICK

2) BREAK ALL SHARP EDGES 0.005 TO 0.015

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.

4) ALL DIMENSIONS ARE IN INCHES.

WITHOUT NOTICE

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.